

鎢鋼胡蝶鑽

TUNGSTEN CARBIDE R DRILL




- 螺旋槽
- Spiral Flute

適合材質：

一般鋼料、合金鋼、模具鋼、
不鏽鋼、銅、鋁、鑄鐵。

Applicable materials:

General steel, alloy steel, mold steel,
stainless steel, copper, aluminum, cast iron.



EDP No.	Dø	dø	L2	L	L4	Ls
RSD- 3050	5.0	6	30	66	36	20
RSD- 3051	5.1					
RSD- 3052	5.2					
RSD- 3053	5.3					
RSD- 3054	5.4					
RSD- 3055	5.5					
RSD- 3056	5.6					
RSD- 3057	5.7					
RSD- 3058	5.8					
RSD- 3059	5.9					
RSD- 3060	6.0	8	38	79	36	24
RSD- 3061	6.1					
RSD- 3062	6.2					
RSD- 3063	6.3					
RSD- 3064	6.4					
RSD- 3065	6.5					
RSD- 3066	6.6					
RSD- 3067	6.7					
RSD- 3068	6.8					
RSD- 3069	6.9					
RSD- 3070	7.0	8	42	79	36	29
RSD- 3071	7.1					
RSD- 3072	7.2					
RSD- 3073	7.3					
RSD- 3074	7.4					
RSD- 3075	7.5					
RSD- 3076	7.6					
RSD- 3077	7.7					
RSD- 3078	7.8					
RSD- 3079	7.9					
RSD- 3080	8.0	10	49	89	40	35
RSD- 3081	8.1					
RSD- 3082	8.2					
RSD- 3083	8.3					
RSD- 3084	8.4					
RSD- 3085	8.5					
RSD- 3086	8.6					
RSD- 3087	8.7					
RSD- 3088	8.8					
RSD- 3089	8.9					
RSD- 3090	9.0	10	49	89	40	35
RSD- 3091	9.1					
RSD- 3092	9.2					
RSD- 3093	9.3					
RSD- 3094	9.4					
RSD- 3095	9.5					
RSD- 3096	9.6					
RSD- 3097	9.7					
RSD- 3098	9.8					
RSD- 3099	9.9					
RSD- 3100	10.0					

EDP No.	Dø	dø	L2	L	L4	Ls
RSD- 3101	10.1	12	56	102	45	40
RSD- 3102	10.2					
RSD- 3103	10.3					
RSD- 3104	10.4					
RSD- 3105	10.5					
RSD- 3106	10.6					
RSD- 3107	10.7					
RSD- 3108	10.8					
RSD- 3109	10.9					
RSD- 3110	11.0					
RSD- 3111	11.1	12	56	102	45	40
RSD- 3112	11.2					
RSD- 3113	11.3					
RSD- 3114	11.4					
RSD- 3115	11.5					
RSD- 3116	11.6					
RSD- 3117	11.7					
RSD- 3118	11.8					
RSD- 3119	11.9					
RSD- 3120	12.0					
RSD- 3121	12.1	14	61	107	45	43
RSD- 3122	12.2					
RSD- 3123	12.3					
RSD- 3124	12.4					
RSD- 3125	12.5					
RSD- 3126	12.6					
RSD- 3127	12.7					
RSD- 3128	12.8					
RSD- 3129	12.9					
RSD- 3130	13.0					
RSD- 3131	13.1	14	61	107	45	43
RSD- 3132	13.2					
RSD- 3133	13.3					
RSD- 3134	13.4					
RSD- 3135	13.5					
RSD- 3136	13.6					
RSD- 3137	13.7					
RSD- 3138	13.8					
RSD- 3139	13.9					
RSD- 3140	14.0					
RSD- 3141	14.1	16	65	115	48	45
RSD- 3142	14.2					
RSD- 3143	14.3					
RSD- 3144	14.4					
RSD- 3145	14.5					
RSD- 3146	14.6					
RSD- 3147	14.7					
RSD- 3148	14.8					
RSD- 3149	14.9					
RSD- 3150	15.0					

EDP No.	Dø	dø	L2	L	L4	Ls
RSD- 3151	15.1	16	65	115	48	45
RSD- 3152	15.2					
RSD- 3153	15.3					
RSD- 3154	15.4					
RSD- 3155	15.5					
RSD- 3156	15.6					
RSD- 3157	15.7					
RSD- 3158	15.8					
RSD- 3159	15.9					
RSD- 3160	16.0					
RSD- 3165	16.5	18	73	123	48	51
RSD- 3170	17.0					
RSD- 3175	17.5					
RSD- 3180	18.0					
RSD- 3185	18.5	20	79	131	50	55
RSD- 3190	19.0					
RSD- 3195	19.5					
RSD- 3200	20.0					

Dø/ Diameter
L2/ Flute Length
L4/ Shank Length
dø/ Shank Diameter
L/ Overall Length
Ls/ Length of Cut

鎢鋼胡蝶鑽

TUNGSTEN CARBIDE R DRILL



適合材質：

一般鋼料、合金鋼、模具鋼、
不鏽鋼、銅、鋁、鑄鐵。

Applicable materials:

General steel, alloy steel, mold steel,
stainless steel, copper, aluminum, cast iron.


EDP No.	Dø	dø	L2	L	L4	LS
RSD- 5050	5.0	6	44	82	36	35
RSD- 5051	5.1					
RSD- 5052	5.2					
RSD- 5053	5.3					
RSD- 5054	5.4					
RSD- 5055	5.5					
RSD- 5056	5.6					
RSD- 5057	5.7					
RSD- 5058	5.8					
RSD- 5059	5.9					
RSD- 5060	6.0	8	53	91	36	43
RSD- 5061	6.1					
RSD- 5062	6.2					
RSD- 5063	6.3					
RSD- 5064	6.4					
RSD- 5065	6.5					
RSD- 5066	6.6					
RSD- 5067	6.7					
RSD- 5068	6.8					
RSD- 5069	6.9					
RSD- 5070	7.0	8	53	91	36	43
RSD- 5071	7.1					
RSD- 5072	7.2					
RSD- 5073	7.3					
RSD- 5074	7.4					
RSD- 5075	7.5					
RSD- 5076	7.6					
RSD- 5077	7.7					
RSD- 5078	7.8					
RSD- 5079	7.9					
RSD- 5080	8.0	10	61	103	40	49
RSD- 5081	8.1					
RSD- 5082	8.2					
RSD- 5083	8.3					
RSD- 5084	8.4					
RSD- 5085	8.5					
RSD- 5086	8.6					
RSD- 5087	8.7					
RSD- 5088	8.8					
RSD- 5089	8.9					
RSD- 5090	9.0	10	61	103	40	49
RSD- 5091	9.1					
RSD- 5092	9.2					
RSD- 5093	9.3					
RSD- 5094	9.4					
RSD- 5095	9.5					
RSD- 5096	9.6					
RSD- 5097	9.7					
RSD- 5098	9.8					
RSD- 5099	9.9					
RSD- 5100	10.0					

EDP No.	Dø	dø	L2	L	L4	LS
RSD- 5101	10.1	12	71	118	45	56
RSD- 5102	10.2					
RSD- 5103	10.3					
RSD- 5104	10.4					
RSD- 5105	10.5					
RSD- 5106	10.6					
RSD- 5107	10.7					
RSD- 5108	10.8					
RSD- 5109	10.9					
RSD- 5110	11.0					
RSD- 5111	11.1	12	71	118	45	56
RSD- 5112	11.2					
RSD- 5113	11.3					
RSD- 5114	11.4					
RSD- 5115	11.5					
RSD- 5116	11.6					
RSD- 5117	11.7					
RSD- 5118	11.8					
RSD- 5119	11.9					
RSD- 5120	12.0					
RSD- 5121	12.1	14	77	124	45	60
RSD- 5122	12.2					
RSD- 5123	12.3					
RSD- 5124	12.4					
RSD- 5125	12.5					
RSD- 5126	12.6					
RSD- 5127	12.7					
RSD- 5128	12.8					
RSD- 5129	12.9					
RSD- 5130	13.0					
RSD- 5131	13.1	14	77	124	45	60
RSD- 5132	13.2					
RSD- 5133	13.3					
RSD- 5134	13.4					
RSD- 5135	13.5					
RSD- 5136	13.6					
RSD- 5137	13.7					
RSD- 5138	13.8					
RSD- 5139	13.9					
RSD- 5140	14.0					
RSD- 5141	14.1	16	83	133	48	63
RSD- 5142	14.2					
RSD- 5143	14.3					
RSD- 5144	14.4					
RSD- 5145	14.5					
RSD- 5146	14.6					
RSD- 5147	14.7					
RSD- 5148	14.8					
RSD- 5149	14.9					
RSD- 5150	15.0					

EDP No.	Dø	dø	L2	L	L4	LS
RSD- 5151	15.1	16	83	133	48	63
RSD- 5152	15.2					
RSD- 5153	15.3					
RSD- 5154	15.4					
RSD- 5155	15.5					
RSD- 5156	15.6					
RSD- 5157	15.7					
RSD- 5158	15.8					
RSD- 5159	15.9					
RSD- 5160	16.0					
RSD- 5165	16.5	18	93	143	48	71
RSD- 5170	17.0					
RSD- 5175	17.5					
RSD- 5180	18.0					
RSD- 5185	18.5	20	101	153	50	77
RSD- 5190	19.0					
RSD- 5195	19.5					
RSD- 5200	20.0					

Dø/ Diameter dø/ Shank Diameter
L2/ Flute Length L/ Overall Length
L4/ Shank Length LS/ Length of Cut

- 螺旋槽
- Spiral Flute



EDP No.	Dø	dø	L2	L	L4	Ls
RSD- 8050	5.0					
RSD- 8051	5.1					
RSD- 8052	5.2					
RSD- 8053	5.3					
RSD- 8054	5.4					
RSD- 8055	5.5	6	57	95	36	48
RSD- 8056	5.6					
RSD- 8057	5.7					
RSD- 8058	5.8					
RSD- 8059	5.9					
RSD- 8060	6.0					
RSD- 8061	6.1					
RSD- 8062	6.2					
RSD- 8063	6.3					
RSD- 8064	6.4					
RSD- 8065	6.5	8	76	114	36	64
RSD- 8066	6.6					
RSD- 8067	6.7					
RSD- 8068	6.8					
RSD- 8069	6.9					
RSD- 8070	7.0					
RSD- 8071	7.1					
RSD- 8072	7.2					
RSD- 8073	7.3					
RSD- 8074	7.4					
RSD- 8075	7.5	8	76	114	36	64
RSD- 8076	7.6					
RSD- 8077	7.7					
RSD- 8078	7.8					
RSD- 8079	7.9					
RSD- 8080	8.0					
RSD- 8081	8.1					
RSD- 8082	8.2					
RSD- 8083	8.3					
RSD- 8084	8.4					
RSD- 8085	8.5	10	95	142	40	80
RSD- 8086	8.6					
RSD- 8087	8.7					
RSD- 8088	8.8					
RSD- 8089	8.9					
RSD- 8090	9.0					
RSD- 8091	9.1					
RSD- 8092	9.2					
RSD- 8093	9.3					
RSD- 8094	9.4					
RSD- 8095	9.5	10	95	142	40	80
RSD- 8096	9.6					
RSD- 8097	9.7					
RSD- 8098	9.8					
RSD- 8099	9.9					
RSD- 8100	10.0					

EDP No.	Dø	dø	L2	L	L4	Ls
RSD- 8101	10.1					
RSD- 8102	10.2					
RSD- 8103	10.3					
RSD- 8104	10.4					
RSD- 8105	10.5					
RSD- 8106	10.6	12	114	162	45	96
RSD- 8107	10.7					
RSD- 8108	10.8					
RSD- 8109	10.9					
RSD- 8110	11.0					
RSD- 8111	11.1					
RSD- 8112	11.2					
RSD- 8113	11.3					
RSD- 8114	11.4					
RSD- 8115	11.5	12	114	162	45	96
RSD- 8116	11.6					
RSD- 8117	11.7					
RSD- 8118	11.8					
RSD- 8119	11.9					
RSD- 8120	12.0					
RSD- 8121	12.1					
RSD- 8122	12.2					
RSD- 8123	12.3					
RSD- 8124	12.4					
RSD- 8125	12.5	14	133	178	45	112
RSD- 8126	12.6					
RSD- 8127	12.7					
RSD- 8128	12.8					
RSD- 8129	12.9					
RSD- 8130	13.0					
RSD- 8131	13.1					
RSD- 8132	13.2					
RSD- 8133	13.3					
RSD- 8134	13.4					
RSD- 8135	13.5	14	133	178	45	112
RSD- 8136	13.6					
RSD- 8137	13.7					
RSD- 8138	13.8					
RSD- 8139	13.9					
RSD- 8140	14.0					
RSD- 8141	14.1					
RSD- 8142	14.2					
RSD- 8143	14.3					
RSD- 8144	14.4					
RSD- 8145	14.5	16	152	203	48	128
RSD- 8146	14.6					
RSD- 8147	14.7					
RSD- 8148	14.8					
RSD- 8149	14.9					
RSD- 8150	15.0					

EDP No.	Dø	dø	L2	L	L4	Ls
RSD- 8151	15.1					
RSD- 8152	15.2					
RSD- 8153	15.3					
RSD- 8154	15.4					
RSD- 8155	15.5	16	152	203	48	128
RSD- 8156	15.6					
RSD- 8157	15.7					
RSD- 8158	15.8					
RSD- 8159	15.9					
RSD- 8160	16.0					
RSD- 8165	16.5	18	171	222	48	144
RSD- 8170	17.0					
RSD- 8175	17.5					
RSD- 8180	18.0					
RSD- 8185	18.5	20	190	243	50	160
RSD- 8190	19.0					
RSD- 8195	19.5					
RSD- 8200	20.0					

Dø/ Diameter
L2/ Flute Length
L4/ Shank Length
dø/ Shank Diameter
L/ Overall Length
Ls/ Length of Cut